



5th Floor, Building 4, Xinhaosheng Science and Technology Industrial Park, Yonghe Road, Fuhai street, Bao'an District, Shenzhen, PRC.

www.dentalxm.com

DOCTOR: _____

CODE: _____

PATIENT: _____

AGE: _____ M / F

DATE SENT: _____

DATE REQ'D: _____ AM / PM

BARCODE

Material Choice

PFM

- ☐ High Precious
- ☐ Semi Precious
- ☐ Palladium Based
- ☐ Titanium
- ☐ NP (Ni Free)*


Full Cast

- ☐ Yellow Gold
- ☐ White Gold
- ☐ Titanium
- ☐ NP (Ni Free)*

Metal Free

- ☐ Calypso
- ☐ FMZ
- ☐ Lava Plus
- ☐ Veneered
- ☐ Non-Veneered*
- ☐ Procera (Zr)
- ☐ e.max
- ☐ Empress Esthetic
- ☐ Lava Ultimate
- ☐ VITA Enamic
- ☐ Composite

Shade



☐ Shade Matching

Tooth Position

18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38

Porcelain Shoulder



Type of Restoration

- ☐ Crown
- ☐ Bridge
- ☐ Post-Crown
- ☐ Post & Core
- ☐ Temporary Crown / Bridge
- ☐ Maryland Bridge / RBB
- ☐ 1 wing* 2 wings
- ☐ Inlay / Onlay
- ☐ Veneer


Others

- ☐ Diagnostic wax-up
- Digital diagnostic wax-up
- Relative to previous / pending case


Occlusal Stain

- ☐ Heavy
- ☐ Light*
- ☐ No


Metal Design




Embrasure




Pontic Design



Proximal Contact



Occlusal Contact



FOR LAB USE ONLY

出貨日期

材料選擇

金屬瓷 / 樹脂膠

全金屬

全瓷

- ☐ 套
- ☐ 橋
- ☐ 套連筍
- ☐ 筍釘 / R. Pin
- ☐ 瑪利蘭橋 / 翼 ☐ 單翼* ☐ 雙翼
- ☐ 嵌體 / 高嵌體
- ☐ 貼面
- ☐ 臨時牙套 / 橋
- ☐ _____

- ☐ 牙匙 ☐ 石膏模 ☐ 铁 / 胶钉 ☐ Cr / Br 试 ☐ 胶 / 铁 / 石膏底
- ☐ 咬蜡 ☐ ATT ☐ 图 / 照片

* Standard protocol will be applied unless specified otherwise